INT. J. PROD. RES., 1993, VOL. 31, NO. 12, 2975–2984

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abdou, G., and Cheng, R.: TVCAPP, tolerance verification in computer-aided process planning 393
Adiga, S., see Li, R.-K.
Affisco, J. F., Paknejad, M J., and Nasri, F.: A comparison of alternative joint vendor-purchaser lot-sizing models 2661
Agnihotri, D., see Luxhoj, J. T.
Ahmed, M. U., see Nandkeolyar, U.
Alexander, S. M., Lee, W. Y., and Graham, J. H.: Design-based diagnosis . . . 2087
Aly, A. A., and Subramaniam, M.: Design of an FMS decision support system . . 2257
Anderson, E. J., see Lagodimos, A. G.
Arbel, A.: Large-scale optimization methods applied to the cutting stock problem of irregular shapes 483
Armarego, E. J. A., and Deshpande, N. P.: Force prediction models and CAD/CAM software for helical tooth milling processes. I. Basic approach and cutting analysis 1991
Armarego, E. J. A., and Deshpande, N. P.: Force prediction models and CAD/CAM software for helical tooth milling processes. II. Peripheral milling operations . 2319
Armarego, E. J. A., Smith, A. J. R., and Wang, J.: Constrained optimization strategies and CAM software for single-pass peripheral milling 2139
Arosio, M., and Sianesi, A.: A heuristic algorithm for master production schedule generation with finite capacity and sequence dependent setups 531
Arzi, Y., and Roll, Y.: Real-time production control of an FMS in a produce-to-order environment 2195

Baber, C., see O'Connor, R. F.
Babu, P. S., see Sarker, B. R.
Balasubramanian, K. N., and Panneerselvam, R.: Covering technique-based algorithm for machine grouping to form manufacturing cells 1479
Banerjee, P., see Marefat, M.
Bartholdi, J. J.: Balancing two-sided assembly lines: a case study 2447
Benton, W. C.: Time- and cost-based priorities for job shop scheduling 1509
Benton, W. C., and Srivastava, R.: Product structure complexity and inventory storage capacity on the performance of a multi-level manufacturing system 2531
Berkley, B. J.: Effect of buffer capacity and sequencing rules on single-card kanban system performance 2875
Berkley, B. J.: Setting minimum performance levels for two-card kanban-controlled lines 1003
Bilge, Ü., see Ulusoy, G.
Blackstone, Jr., J. H., see Gardiner, S. C.
Boctor, F. F.: Heuristics for scheduling projects with restrictions and several resource-duration modes 2547
Brennan, L., and Gupta, S. M.: A structural analysis of material requirements planning systems under combined demand and supply uncertainty 1689
Burbidge, J. L.: Discussion. A reply to 'A note on a "Change to group technology"' 1001
Burgess, A. G., Morgan, I., and Vollmann, T. E.: Cellular manufacturing: its impact on the total factory 2059
Busby, J. S., and Williams, G. M.: The value and limitations of using process models to describe the manufacturing organization 2179

Cacambouras, M., see Huissoon, J. P.
Cakir, A., and Inman, R. R.: Modified goal chasing for products with non-zero/one bills of material 107
Cavalier, T. M., see Doctor, S. R.
Cavalier, T. M., see Irani, S. A.

Chan, C.-C., and Wang, H.-P. (Ben): Design and development of a stochastic high-level Petri net system for FMS performance evaluation 2415
Chan, D.: Precedence constrained TSP applied to circuit board assembly and no wait flowshop 2171
Chandra, P., Li, S., and Stan, M.: Jobs and tool sequencing in an automated manufacturing environment 2911
Chandru, V., Lee, C.-Y., and Uzsoy, R.: Minimizing total completion time on batch processing machines 2097
Chang, H., and Lin, T. W.: Evaluation of circulatory tolerance using Monte Carlo simulation for coordinate measuring machine 2079
Chang, T. C., see Lin, A. C.
Chen, A., see Elsayed, E. A.
Chen, C. Y., and Irani, S. A.: Cluster first-sequence last heuristics for generating block diagonal forms for a machine-part matrix 2623
Chen, J. F., and Wilhelm, W. E.: An evaluation of heuristics for allocating components to kits in small-lot, multi-echelon assembly systems 2835
Chen, R., Strong, D., and Hawaleshka, O.: An economic model for raw material selection 2275
Cheng, R., see Abdou, G.
Chetty, O. V. K., see Raju, K. R.
Cho, H. D., Jun, Y. T., and Yang, M. Y.: Five-axis CNC for effective machining of sculptures surfaces 2559
Cho, H., and Wysk, R. A.: A robust adaptive scheduler for an intelligent workstation controller 771
Chow, W. S., and Hawaleshka, O.: Minimizing intercellular part movements in manufacturing cell formation 2161
Chu, C.-H.: Manufacturing cell formation by competitive learning 829
Clarke, M. J., see Yaman, R.
Cochran, J. K., see Ozdemirel, N. E.
Cogun, C., see Savsar, M.
Cohen, P. H., see Irani, S. A.
Corrigendum 1507
Cowton, C. J., and Wirth, A.: On the economics of cutting tools 2441

Dahel, N.-E., and Smith, S. B.: Designing flexibility into cellular manufacturing systems 933
Das, K., and Nagendra, P.: Investigations into the impact of flexibility on manufacturing performance 2337
Das, S. K.: A facility layout method for flexible manufacturing systems 279
Dauzere-Peres, S., and Lasserre, J.-B.: A modified shifting bottleneck procedure for job-shop scheduling 923
Davis, W. J., see Thompson, S. D.
De Toni, A., and Panizzolo, R.: Product and process standardization in intermittent and repetitive production 1371
Deal, D. E., see He, Z.
Deshmukh, S. G., see Goyal, S. K.
Deshpande, N. P., see Armarego, E. J. A.
Devgun, M. S., see Padmanabhan, S.
Ding, F.-Y., see Moreno, A. A.
Doctor, S. R., Cavalier, T. M., and Egbelu, P. J.: Scheduling for machining and assembly in a job-shop environment 1275
Donohue, K. L., and Spearman, M. L.: Improving the design of stochastic production lines: an approach using perturbation analysis 2789
Dwivedi, S. N., and Shankar, R.: Analytical simulation of rib-web forging 1047
Dwivedi, S. N., and Upadhyay, K.: Plasma-aided manufacturing of ceramics and composite materials 901

Egbelu, P. J.: Economic design of unit load-based FMSs employing AGVs for transport 2753
Egbelu, P. J., and Wu, C.-T.: A comparison of dwell point rules in an automated storage/retrieval system 2515
Egbelu, P. J., see Doctor, S. R.

Ekerol, H., see O'Connor, R. F.
Elsayed, E. A., and Chen, A.: Optimal levels of process parameters for products with multiple characteristics 1117
Elsayed, E. A., Lee, M.-K., Kim, S., and Scherer, E.: Sequencing and batching procedures for minimizing earliness and tardiness penalty of order retrievals 727
English, J. R., and Taylor, G. D.: Process capability—a robustness study 1621
Enkawa, T., see Itoh, K.
Enns, S. T.: Job shop flowtime prediction and tardiness control using queueing analysis 2045
Enscore, E. E., see Lacksonen, T. A.
Erel, E.: Effect of discrete batch WIP transfer on the efficiency of production lines . 1827
Evans, G. W., see Gupta, M. C.
Eynan, A., and Rosenblatt, M. J.: An interleaving policy in automated storage/retrieval systems 1

Fant, E. W., and Tran, S. L.: Robotic arm visual serving light intensity in contrast 947
Fawcett, S. E.: Conversion system cost characteristics in global manufacturing: the maquiladora example 647
Felan, J. T. III, Fry, T. D., and Philipoom, P. R.: Labour flexibility and staffing levels in a dual-resource constrained job shop 2487
Ferreira Ribeiro, J. F., and Pradin, B.: A methodology for cellular manufacturing design 235
Fischer, G. W., see Narang, R. V.
Flores, B. E., Olson, D. L., and Pearce, S. L.: Use of cost and accuracy measures in forecasting method selection: a physical distribution example 139
Foulds, L. R., and Wilson, J. M.: Formulation and solution of problems of tool positioning on a single machining centre 2479
Friedrich, W., see Trevino, J.
Fry, T. D., and Russell, G. R.: Capacity allocation strategies in a hypothetical job-shop 1097
Fry, T. D., see Felan, J. T. III

Gaalman, G. J., and Nawijn, W. M.: A scheduling approach for a flexible manufacturing system 2369
Gallego, G.: Reduced production rates in the economic lot scheduling problem . . 1035
Garcia-Diaz, A., see Lee, H.
Gardiner, S. C., and Blackstone, Jr, J. H.: Impact of lot-sizing on the financial performance of dispatching techniques in an MRP-planned fabrication and assembly environment 1595
Garro, O., and Martin, P.: Towards new architectures of machine tools 2403
Gee, E. S., and Smith, C. H.: Selecting allowance policies for improved job shop performance 1839
Gethin, D. T., see Yaman, R.
Ghosh, S., see Kannan, V. R.
Gibson, P. R., see Welgama, P. S.
Glassey, C. R., and Hong, Y.: Analysis of behaviour of an unreliable n-state transfer line with $(n-1)$ interstage storage buffers 519
Globerson, S., see Levin, N.
Golhar, D. Y., see Sarkar, B. R.
Gorlani, C., and Zavanella, L.: Continuous simulation and industrial processes: electrode consumption in arc furnaces 1873
Goyal, S. K., and Deshmukh, S. G.: Discussion. A note on 'The economic ordering quantity for jointly replenishing items'. 2959
Graham, J. H., see Alexander, S. M.
Guinet, A.: Scheduling sequence-dependent jobs on identical parallel machines to minimize completion time criteria 1579
Gupta, D.: On measurement and valuation of manufacturing flexibility 2947
Gupta, M. C., Gupta, Y. P., and Evans, G. W.: Operations planning and scheduling problems in advanced manufacturing systems 869
Gupta, S. M., see Brennan, L.
Gupta, T.: Design of manufacturing cells for flexible environment considering alternative routeing 1259

Gupta, V. K., and Sagar, R.: Total quality control using PCs in an engineering company 161
Gupta, Y., see Gupta, M. C.

Halim, A. H., and Ohta, H.: Batch-scheduling problems through the flowshop with both receiving and delivery just in time 1943
Hall, R. G., see Vannelli, A.
Harrison, D. K., see Wainwright, C. E. R.
Hawaleshka, O., see Chen, R.
Hawaleshka, O., see Chow, W. S.
Hayya, J. C., see Hong, J. D.
He, Z., Yang, T., and Deal, D. E.: A multiple-pass heuristic rule for job shop scheduling with due dates 2677
Hillier, F. S., and So, K. C.: Some data for applying the bowl phenomenon to large production line systems 811
Hitomi, K., see Pleschberger, T. E.
Ho, Y.-C., Lee, C.-E. C. and Moodie, C. L.: Two sequence-pattern, matching-based, flow analysis methods for multiflowlines layout design 1557
Hoffmann, T. R., see Scudder, G. D.
Hon, B., see Johns, S. L.
Hong, J.-D., Xu, S. H., and Hayya, J. C.: Process quality improvement and setup reduction in dynamic lot-sizing 2693
Hong, Y., see Glassey, C. R.
Hopp, W. J., and Simon, J. T.: Estimating throughput in an unbalanced assembly-like flow system 851
Hou, T.-H., Lin, L., and Scott, P. D.: A neural network-based automated inspection system with an application to surface mount devices 1171
Huang, D., see Itoh, K.
Huissoon, J. P., and Cacambouras, M.: Feature model-based grasp formulation . 351
Hurley, B. J., see Trevino, J.
Hwang, H., and Lim, J. M.: Deriving an optimal dwell point of the storage/retrieval machine in an automated storage/retrieval system 2591
Hwang, H., Kim, Y. D.: Multiproduct economic lot size models with investment costs for setup reduction and quality improvement 691

Inman, R. R., see Cakir, A.
Inuiguchi, M., see Jung, H. S.
Irani, S. A., Cavalier, T. M., and Cohen, P. H.: Virtual manufacturing cells: exploiting layout design and intercell flows for the machine sharing problem . . . 791
Irani, S. A., see Chen, C.-Y.
Itoh, K., Huang, D., and Enkawa, T.: Twofold look-ahead search for multi-criterion job shop scheduling 2215

Ji, P.: A linear programming model for tolerance assignment in a tolerance chart . 739
Ji, P.: A tree approach for tolerance charting 1023
Jiang, B. C., see Shiau, Y.-R.
John, E. G.: Discussion. A note on 'Computer-aided tolerance assignment procedure (CATAP) for design dimensioning' 1505
Johns, S. L., and Hon, B.: Control mechanisms for stable lead times 429
Jones, R., Mitchell, S., and Newman, S.: Feature-based systems for the design and manufacture of sculptured products 1441
Jun, Y. T., see Cho, H. D.
Jung, H. S., Kume, Y., Inuiguchi, M., and Salvendy, G.: Development of a shell for constructing a diagnostic expert system based on designer's knowledge . . . 1299

Kanagawa, A., Tamaki, F., and Ohta, H.: Control charts for process average and variability based on linguistic data 913
Kanezashi, M., see Matsuura, H.
Kannan, V. R., and Ghosh, S.: An evaluation of the interaction between dispatching rules and truncation procedures in job-shop scheduling 1637

Kaplan, A. C., and Unal, A. T.: A probabilistic cost-based due date assignment model for job shops 2817
Kashyap, R. L., see Marefat, M.
Kazunas, S., see Luxhoj, J. T.
Keats, J. B., see Prabhu, S. S.
Kim, C.-W., and Tanchoco, J. M. A.: Operational control of a bidirectional guided vehicle system 2123
Kim, D. B., see Hwang, H.
Kim, K. H.: A joint determination of storage locations and space requirements for correlated items in a miniload automated storage-retrieval system 2649
Kim, K. H., and Tanchoco, J. M. A.: Economical design of material flow paths . . 1387
Kim, S., see Elsayed, E. A.
Kim, Y.-D.: A study on surrogate objectives for loading a certain type of flexible manufacturing systems 381
Kim, Y.-D., see Hwang, H.
Koltai, T., Larrañeta, J., and Onieva, L.: Examination of the sensitivity of an operation schedule with perturbation analysis 2777
Koulamas, C.: Operation sequencing and machining economics 957
Kume, Y., see Jung, H. S.
Kusiak, A., and Wang, J.: Efficient organizing of design activities 753

Lacksonen, T. A., and Enscore, E. E.: Quadratic assignment algorithms for the dynamic layout problem 503
Lagodimos, A. G., and Anderson, E. J.: Optimal positioning of safety stocks in MRP 1797
Landers, T. L., see Sadiq, M.
Larrañeta, J., see Koltai, T.
Lasserre, J.-B., see Dauzere-Peres, S.
Lee, C.-E. C., see Ho, Y.-C.
Lee, C.-T., Liman, S. D., and Wirakusumah, A.: Product batching and batch sequencing for NC punch presses 1143
Lee, C.-Y., see Chandru, V.
Lee, H., and Garcia-Diaz, A.: A network flow approach to solve clustering problems in group technology 603
Lee, I. B. H., Lim, B. S., and Nee, A. Y. C.: Knowledge-based process planning system for the manufacture of progressive dies 251
Lee, M. K., see Elsayed, E. A.
Lee, W. Y., see Alexander, S. M.
Leonard, R., see Wainwright, C. E. R.
Leung, L. C., Maheshwari, S. K., and Miller, W. A.: Concurrent part assignment and tool allocation in FMS with material handling considerations 117
Levin, N., and Globerson, S.: Generated learning curves for individual products from aggravated data 2807
Lewis, D. A., see Maleyeff, J.
Li, R.-K., Shyu, Y.-T., and Adiga, S.: A heuristic rescheduling algorithm for computer-based production scheduling systems 815
Li, R.-K., Tu, Y.-M. and Yang, T. H.: Composite feature and variational design concepts in a feature-based design system 1521
Li, S., see Chandra, P.
Lim, B. S., see Lee, I. B. H.
Lim, J. M., see Hwang, H.
Liman, S. D., see Lee, C.-Y.
Lin, A. C., and Chang, T. C.: An integrated approach to automated assembly planning for three-dimensional mechanical products 1201
Lin, C. J., and Wang, H. P.: Optimal operation planning and sequencing minimization of tool changeovers 311
Lin, L., see Hou, T.-H.
Lin, L., see Song, Y.-Y.
Lin, T. W., see Chang, H.

Linn, R. J., and Xie, X.: A simulation analysis of sequencing rules for ASRS in a pull-based assembly facility 2355
Linn, R. J., see Yim, D.-S.
Liu, H.-C., see Nnaji, B. O.
Liu, J., see MacCarthy, B. L.
Lockamy, A. III: A conceptual framework for value-delivery system lead time management 223
Luong, L. H. S.: A cellular similarity coefficient algorithm for the design of manufacturing cells 1757
Luxhoj, J. T., Agnihotri, D., Kazunas, S., and Nambiar, S.: A prototype knowledge-based system (KBS) for selection of inventory control policies 1709

MacCarthy, B. L., and Liu, J.: A new classification scheme for flexible manufacturing systems 299
MacCarthy, B. L., and Liu, J.: Addressing the gap in scheduling research: a review of optimization and heuristic methods in production scheduling 59
Mackulak, G. T., see Ozdemirel, N. E.
Mahadevan, B., and Narendran, T. T.: Estimation of number of AGVs for an FMS: an analytical model 1655
Maheshwari, S. K., see Leung, L. C.
Mahmoodi, F., see Ruben, R. A.
Maleyeff, J., and Lewis, D. A.: X-bar charts or pre-control: an economic evaluation using alternative cost models 471
Marefat, M., Banerjee, P., Kashyap, R. L., and Moodie, C. L.: Capturing intelligence as a reusable framework for manufacturing decision processes 1767
Martin, G. E.: Predictive formulae for unpaced line efficiency 1981
Martin, P., see Garro, O.
Masud, A. S. M., and Thenappan, M. S.: A knowledge-based advisory system for statistical quality control 1891
Matsuura, H., Tsubone, H., and Kanezashi, M.: Sequencing, dispatching, and switching in a dynamic manufacturing environment 1671
Maul, G. P., see Ou-Yang, C.
Menq, C.-H., see Yau, H. T.
Miller, W. A., see Leung, L. C.
Miltenburg, J., and Montazemi, A. R.: Revisiting the cell formation problem: assigning parts to production systems 2727
Min, H., and Shin, D.: Simultaneous formation of machine and human cells in group technology: a multiple objective approach 2307
Mitchell, S., see Jones, R.
Montazemi, A. R., see Miltenburg, J.
Moodie, C. L., see Ho, Y.-C.
Moodie, C. L., see Marefat, M.
Moreno, A. A., and Ding, F.-Y.: A constructive heuristic algorithm for concurrently selecting and sequencing jobs in an FMS environment 1157
Morgan, I., see Burgess, A. G.
Mosier, C. T., see Ruben, R. A.
Murat Mercan, H., and Selcuk Erenguc, S.: A multi-family dynamic lot sizing problem with coordinated replenishments: a heuristic procedure 173
Musri, M., see O'Connor, R. F.

Nagasawa, H., see Zheng, W.-X.
Nagendra, P., see Das, K.
Nambiar, S., see Luxhoj, J. T.
Nandkeolyar, U., Ahmed, M. U., and Sundararaghavan, P. S.: Dynamic single-machine-weighted absolute deviation problem: predictive heuristics and evaluation . . 1453
Narang, R. V., and Fischer, G. W.: Development of a framework to automate process planning functions and to determine machining parameters 1921
Narendran, T. T., see Mahadevan, B.

Nasri, F., see Affisco, J. F.
Nawijn, W. M., see Gaalman, G. J.
Nee, A. Y. C., see Lee, I. B. H.
Newman, S., see Jones, R.
Ngoi, B. K. A., and Ong, C. T.: A complete tolerance charting system 453
Ngoi, B. K. A., and Ong, C. T.: Process sequence determination for tolerance charting 2387
Nishiyama, N., see Zheng, W.-X.
Nnaji, B. O., Liu, H.-C., and Rembold, U.: A product modeller for discrete components 2017
Noble, J. S., and Tanchoco, J. M. A.: A framework for material handling system design justification 81

O'Connor, R. F., Baber, C., Musri, M., and Ekerol, H.: Identification, classification and management of errors in automated component assembly tasks 1853
Ohta, H., see Halim, A. H.
Ohta, H., see Kanagawa, A.
Olson, D. L., see Flores, B. E.
Ong, C. T., see Ngoi, B. K. A.
Onieva, L., see Koltai, T.
Ou-Yang, C., and Maul, G. P.: A computer analysis of orientation devices for vibratory bowl feeders 555
Ozdemirel, N. E., Mackulak, G. T., and Cochran, J. K.: A group technology classification and coding scheme for discrete manufacturing simulation models 579

Padmanabhan, S., and Devgun, M. S.: Representation of weld features and attributes in solid models to support automatic programming or arc welding robots . . 977
Paknejad, M. J., see Affisco, J. F.
Panizzolo, R., see De Toni, A.
Panneerselvam, R., see Balasubramanian, K. N.
Park, T.: A two-phase heuristic algorithm for determining buffer sizes of production lines 613
Patterson, M. C.: Analysis of setup time at constraint resources 845
Pearce, S. L., see Flores, B. E.
Philipoom, P. R., see Felan, J. T. III
Pleschberger, T. E., and Hitomi, K.: Flexible final-assembly sequencing method for a JIT manufacturing environment 1189
Prabhu, S. S., Runger, G. C., and Keats, J. B.: $\bar{X}$ chart with adaptive sample sizes . 289
Pradin, B., see Ferreira Riberio, J. F.

Rajendran, C., see Sridhar, J.
Raju, K. R., and Chetty, O. V. K.: Design and evaluation of automated guided vehicle systems for flexible manufacturing systems: an extended time Petri net-based approach 1069
Rakshit, A., see Raoot, A. D.
Raoot, A. D., and Rakshit, A.: A 'linguistic pattern' approach for multiple criteria facility layout problems 203
Raoot, A. D., and Rakshit, A.: An experimental comparison of systematic placement procedures for facility layout design 1735
Rembold, U., see Nnaji, B. O.
Righini, G.: Modular Petri nets for simulation of flexible production systems . . 2463
Rogers, D. F., see Shafer, S. M.
Rohleder, T. R., see Scudder, G. D.
Roll, T. R., see Arzi, Y.
Rosenblatt, M., see Eynan, A.
Ruben, R. A., Mosier, C. T., and Mahmoodi, F.: A comprehensive analysis of group scheduling heuristics in a job shop cell 1343
Runger, G. C., see Prabhu, S. S.
Russell, G. R., see Fry, T. D.

Sadiq, M., Landers T. L., and Taylor, G. D.: A heuristic algorithm for minimizing total production time for a sequence of jobs on a surface mount placement machine . 1327

Sagar, R., see Gupta, V. K.
Salvendy, G., see Jung, H. S.
Salvendy, G., see Wu, N.
Sarker, B. R., and Babu, P. S.: Effect of production cost on shelf life 1865
Sarker, B. R., and Golhar, D. Y.: A reply to 'A note on "Economic manufacturing quantity in a just-in-time delivery system"' 2749
Savsar, M., and Cogun, C.: Stochastic modelling and comparisons of two flexible manufacturing cells with single and double gripper robots 633
Scherer, E., see Elsayed, E. A.
Scott, P. D., see Hou, T.-H.
Scudder, G. D., Hoffmann, T. R., and Rohleder, T. R.: Scheduling with forbidden early shipments: alternative performance criteria and conditions 2287
Selcuk Erenguc, S., see Murat Mercan, H.
Shafer, S. M., and Rogers, D. F.: Similarity and distance measures for cellular manufacturing, Part I. A survey 1133
Shafer, S. M., and Rogers, D. F.: Similarity and distance measures for cellular manufacturing. Part II. An extension and comparison. 1315
Shang, J. S., and Tadikamalla, P. R.: Output maximization of a CIM system: simulation and statistical approach 19
Shankar, R., see Dwivedi, S. N.
Shiau, Y.-R., and Jiang, B. C.: A methodology to evaluate/improve the performance of a machine vision system 1467
Shin, D., see Min, H.
Shyu, Y.-T., see Li, R.-K.
Sianesi, A., see Arosio, M.
Sim, C. G., see Yang, M. Y.
Simon, J. T., see Hopp, W. J.
Sinriech, D., and Tanchoco, J. M. A.: Solution methods for the mathematical models of single-loop AGV systems 705
Skorin-Kapov, J., and Vakharia, A. J.: Scheduling a flow-line manufacturing cell: a tabu search approach 1721
Smith, A. J. R., see Armarego, E. J. A.
Smith, C. H., see Gee, E. S.
Smith, S. B., see Dahel, N.-E.
So, K. S., see Hillier, F. S.
Song, Y.-Y., and Lin, L.: Optimization of cycle time and kinematic energy in a robot/conveyor system with variable pick-up locations 1541
Spearman, M. L., see Donohue, K. L.
Sridhar, J., and Rajendran, C.: Scheduling in a cellular manufacturing system: a simulated annealing approach 2927
Srivastava, R., see Benton, W. C.
Stan, M., see Chandra, P.
Strong, D., see Chen, R.
Subramaniam, M., see Aly, A. A.
Sundaraghavan, P. S., see Nandkeolyar, U.

Tadikamalla, P. R., see Shang, J. S.
Takeuchi, A., see Yoshimura, M.
Tamaki, F., see Kanagawa, A.
Tanchoco, J. M. A., see Kim, C.-W.
Tanchoco, J. M. A., see Kim. K. H.
Tanchoco, J. M. A., see Noble, J. S.
Tanchoco, J. M. A., see Sinriech, D.
Tang, G.-R.: Computer-aided design of instrument loop sketch diagrams 443
Taylor, G. D., see English, J. R.
Taylor, G. D., see Sadiq, M.
Teng, S.-H., and Zhang, J.: A Petri net-based decomposition approach in modelling of manufacturing systems 1423
Thenappan, M. S., see Masud, A. S. M.

Thompson, S. D., Watanabe, D. T., and Davis, W. J.: A comparative study of aggregate production planning strategies under conditions of uncertainty and cyclic product demands 1957
Tran, S. L., see Fant, E. W.
Trevino, J., Hurley, B. J., and Friedrich, W.: A mathematical model for the economic justification of setup time reduction 191
Tsai, D.-M., and Yao, M.-J.: A line-balanced-based capacity planning procedure for series-type robotic assembly line 1901
Tsubone, H., see Matsuura, H.
Tu, Y.-M., see Li, R.-K.

Ulusoy, G., and Bilge, Ü.: Simultaneous scheduling of machines and automated guided vehicles. 2857
Unal, A. T., see Kaplan, A. C.
Upadhyay, K., see Dwivedi, S. N.
Uzsoy, R., see Chandru, V.

Vakharia, A. J., see Skorin-Kapov, J.
Vannelli, A., and Hall, R. G.: An eigenvector solution methodology for finding part-machine families 325
Vollmann, T. E., see Burgess, A. G.

Wainwright, C. E. R., Harrison, D. K., and Leonard, R.: Production control strategies within multi-product batch manufacturing companies 365
Wang, H.-P. (Ben), see Chan, C.-C.
Wang, H.-P., see Lin, C. J.
Wang, H.-P., see Zhang, C.
Wang, J., see Armarego, E. J. A.
Wang, J., see Kusiak, A.
Watanabe, D. T., see Thompson, S. D.
Webb, P. M.: Dynamics of the twist drilling process 823
Webb, P. M.: The three-dimensional problem of twist drilling 1247
Welgama, P. S., and Gibson, P. R.: A construction algorithm for the machine layout problem with fixed pick-up and drop-off points 2575
Weston, R. H.: Steps towards enterprise-wide integration: a definition of need and first-generation open solutions 2235
Wilhelm, W. E., see Chen, J. F.
Williams, G. M., see Busby, J. S.
Wilson, J. M., see Foulds, L. R.
Wikakusumah, A., see Lee, C.-Y.
Wirth, A., see Cowton, C. J.
Wu, C.-T., see Egbelu, P. J.
Wu, N., and Salvendy, G.: A modified network approach for the design of cellular manufacturing systems 1409
Wysk, R. A., see Cho, H.

Xie, X., see Linn, R. J.
Xu, S. H., see Hong, J.-D.

Yaman, R., Gethin, D. T., and Clarke, M. J.: An effective sorting method for facility layout construction 413
Yang, M. Y., and Sim, C. G.: Reduction of machining errors by adjustment of feedrates in the ball-end milling process 665
Yang, M. Y., see Cho, H. D.
Yang, T., see He, Z.
Yang, T. H., see Li, R.-K.
Yao, M.-J., see Tsai, D.-M.
Yau, H.-T., and Menq, C.-H.: Concurrent process planning for finish milling and dimensional inspection of sculptured surfaces in die and mould manufacturing . 2709

Yim, D.-S., and Linn, R. J.: Push and pull rules for dispatching automated guided vehicles in a flexible manufacturing system 43
Yoshimura, M., and Takeuchi, A.: Multiphase decision-making method of integrated computer-aided design and manufacturing for machine products 2603

Zavanella, L., see Gorlani, C.
Zhang, C., and Wang, H.-P.: Tolerance analysis and synthesis for cam mechanisms . 1229
Zhang, J., see Teng, S.-H.
Zheng, W.-X., Nagasawa, H., and Nishiyama, N.: Single-machine scheduling for minimizing total cost with identical, asymmetrical earliness and tardiness penalties 1611
Zhuang, L.: Discussion. A note on 'Economic manufacturing quantity in a just-in-time delivery system' 2747